

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	397	electro\$1optic\$4 with (tilt\$3 ang\$3 inclin\$3 skew\$3 oblique assymetric\$4 askew awry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 13:00
S2	46	(pair near electrode) with electro\$1optic\$4 with (tilt\$3 ang\$3 inclin\$3 skew\$3 oblique assymetric\$4 askew awry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:16
S3	1	385/8,16,17,20,40.ccls. and deflect\$3 with electrode with (index adj refraction) with electro\$1optic\$4 with volt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 13:03
S5	51	385/8,16,17,20,40.ccls. and deflect\$3 with electrode with electro\$1optic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/13 13:03
S6	2465	deflect\$3 with electro\$1optic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 09:33
S7	249	S6 with refract\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 09:34
S8	76	S7 with volt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 14:35
S9	239	electrode same electro\$1optic\$4 same volt\$3 same refract\$3 same deflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 11:38
S10	8	S9 same tilt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 10:06
S13	83	deflect\$3 with electrode with refract\$3 with electro\$1optic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 12:12

S14	26448	curve\$1 with electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 12:13
S15	810	curved adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 12:13
S16	26	curved adj electrode with deflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 12:19
S17	411	deflect\$3 with channel with input with output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 12:20
S18	5	S17 with electro\$1optic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 12:28
S19	97	S17 with switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 12:31
S32	6	switch with waveguide with deflect\$3 with electro\$1optic\$4 with electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/16 14:37
S33	374	385/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/19 14:41
S34	2	385/10.ccls. and curved adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/19 14:40
S35	2	"6353690".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 12:30

S36	644	385/9,10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 14:16
S37	626	S36 not @ad>="20031017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 14:16
S38	333	S37 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 14:17
S39	214	S38 and (electro\$1optic\$4 (electro adj optic\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 14:17
S40	117	S39 and index with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 14:18
S41	19	S40 and tilt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 14:21
S43	15	S41 and deflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 15:06
S44	4	("4425024" "6584260").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/23 15:06
S45	47	(pair near electrode) with electro\$1optic\$4 with (tilt\$3 ang\$3 inclin\$3 skew\$3 oblique assymetric\$4 askew awry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:17
S47	418	electrode with electro\$1optic\$4 with (tilt\$3 ang\$3 inclin\$3 skew\$3 oblique assymetric\$4 askew awry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:18

S49	0	S45 and @ad>"20050527"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:19
S50	0	S47 and @ad>"20050527"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:20
S51	1	385/8,16,17,20,40.ccls. and deflect\$3 with electrode with (index adj refraction) with electro\$1optic\$4 with volt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:20
S52	0	S51 and @ad>"20050527"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:20
S53	54	385/8,16,17,20,40.ccls. and deflect\$3 with electrode with electro\$1optic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:20
S54	0	S53 and @ad>"20050527"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:20
S55	2525	deflect\$3 with electro\$1optic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:20
S56	1	S55 and @ad>"20050527"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:21
S57	259	S55 with refract\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:21
S58	0	S57 and @ad>"20050527"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:22

S59	1	385/8,10,16,17,20,40.ccls. and @ad>"20050527"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:23
S60	1295	(deflect\$3 and ax\$1s and tilt\$3). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:24
S61	27	(deflect\$3 and ax\$1s and tilt\$3 and (electro\$1optic\$4 electro adj optic\$4 opto\$1electr\$4 opto adj electr\$4)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/20 11:25